





Floor Grazer Ground Light

TYPE	Ground Light
DIMENSIONS	Ø40mm x 46mm
COLOUR	Stainless Steel
MATERIAL	Stainless Steel
BEAM ANGLE	45°
ROTATION ANGLE	360
TEMPERATURE	3000k
WATTAGE	3W
INPUT VOLTAGE	Low Voltage Driver
ENVIRONMENT	Indoor / Outdoor
IP RATING	IP68
EXPECTED LIFESPAN	70,000 hours
CUT-OUT DIAMETER	Ø33mm
PRODUCT CODE	MAJ048





Product Ref. MAJ063

Round LED Ground Light

TYPE	Ground Light
DIMENSIONS	Ø75mm x 43mm
COLOUR	Stainless Steel
MATERIAL	Stainless Steel
BEAM ANGLE	45°
ROTATION ANGLE	-
TEMPERATURE	3000k
WATTAGE	3W
INPUT VOLTAGE	Low Voltage Driver
ENVIRONMENT	Indoor / Outdoor
IP RATING	IP68
EXPECTED LIFESPAN	70,000 hours
CUT-OUT DIAMETER	Ø65mm
PRODUCT CODE	MAJ063







Low Voltage Square Mini LED Light

TYPE	Ground Light
DIMENSIONS	40mm x 40mm x 36mm
COLOUR	Stainless Steel
MATERIAL	Stainless Steel
BEAM ANGLE	45°
ROTATION ANGLE	-
TEMPERATURE	3000k
WATTAGE	2.1W
INPUT VOLTAGE	Low Voltage Driver
ENVIRONMENT	Indoor / Outdoor
IP RATING	IP65
EXPECTED LIFESPAN	70,000 hours
CUT-OUT DIAMETER	-
PRODUCT CODE	MAJ067





Low Voltage Round Mini LED Light

TYPE	Ground Light
DIMENSIONS	Ø40mm x 36mm
COLOUR	Stainless Steel
MATERIAL	Stainless Steel
BEAM ANGLE	45°
ROTATION ANGLE	-
TEMPERATURE	3000k
WATTAGE	2.1W
INPUT VOLTAGE	Low Voltage Driver
ENVIRONMENT	Indoor / Outdoor
IP RATING	IP65
EXPECTED LIFESPAN	70,000 hours
CUT-OUT DIAMETER	-
PRODUCT CODE	MAJ068





Graphite SL30 Anthracite Bollard Light

TYPE	Bollard Light
DIMENSIONS	300mm x 85mm x 85mm
COLOUR	Anthracite
MATERIAL	Aluminium
BEAM ANGLE	-
ROTATION ANGLE	-
TEMPERATURE	3000K
WATTAGE	11W
INPUT VOLTAGE	220-265V/AC
ENVIRONMENT	Outdoor
IP RATING	IP44
EXPECTED LIFESPAN	30,000 hours
CUT-OUT DIAMETER	-
PRODUCT CODE	MAJ070













Prices and product samples available upon request.

Shipping for all lighting products is free on all orders over £100.

Gatebeck Industrial Estate, Kendal, Cumbria LA8 OHW

Telephone. 015242 73578 Email. info@majikhouse.com www.majikhouse.com